

1. Apparatus for serving output signals from a serving device to a plurality of browsing devices connected to a network, wherein said output signals represent commands executable by each browsing device so as to display viewable data in accordance with a specified page format, comprising:

10

means for processing said read data so as to combine a representation of said viewable data with executable instructions; and

15

3,1 Apparatus according to Claim 1, wherein said executable commands are hypertext mark-up language commands.

20

5. Apparatus according to Claim 1, wherein said viewable data is read from conventional databases.

6. Apparatus according to Claim 1, wherein viewable data is identified by an index to a database.

Replaced 03/02/98.
H.

7. Apparatus according to Claim 6, wherein data retained within a database is modifiable while retaining a specified index.

5 8. Apparatus according to Claim 1, wherein said means for processing said viewable data includes means for executing predefined locally executable instructions arranged to combine specified database entries with specified formatting instructions.

9. Apparatus according to Claim 8, wherein said locally executable instructions are indexed and the relationship between the particular set of instructions and a related index is adjustable.

10 10. Apparatus according to Claim 1, including means for adjusting a relationship between a particular request and a particular output string in response to third input data.

11. Apparatus according to Claim 10, including means for controlling said third input data in response to user commands.

15 12. Apparatus according to Claim 10, including means for generating third input data in response to a record of previous use made by a user.

20 13. A method of serving output signals from a serving device to a plurality of browsing devices connected to a network, wherein said output signals represent commands executable by each browsing device so as to display viewable data in accordance with a specified page format, comprising steps of:

Replaced 03/02/98

reading data representing said viewable data;

supplying output signals to the requesting browsing device derived from said processed data.

15. A method according to Claim 13, wherein said executable commands are hypertext/mark-up language commands.

15 17. A method according to Claim 13, wherein said viewable
data is read from a database.

18. A method according to Claim 1, wherein viewable data is identified by an index to a database.

19. A method according to Claim 18, wherein data retained
20 within a database is modifiable while retaining a specified index.

20. A method according to Claim 13, wherein said step of processing said viewable data includes executed predefined locally

Replaced 03/02/98.

executable instructions arranged to combine specified database entries
with specified formatting instructions.

0920803-080301

Replaced 03102195.